

RESPONSE UNDER 37 C.F.R. § 1.116
EXPEDITED PROCEDURE
EXAMINING GROUP NO. 2626

In re Application of:

Docket No. 03500.017558

Hiroki Kishi

Examiner: Paras D. Shah

Application No.: 10/656,375

Group Art Unit: 2626

Filed: September 8, 2003

Confirmation No.: 8246

For: IMAGE PROCESSING APPARATUS
AND METHOD THEREOF

September 13, 2007

Mail Stop AF

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an Amendment After Final Rejection in the above-identified application.

☒ No additional claims fee is required.

The fee has been calculated as shown below

CLAIMS AS AMENDED						
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	17	MINUS	20	0	x \$25 \$50	0.00
INDEP. CLAIMS	2	MINUS	3	0	x \$100 \$200	0.00
Fee for Multiple Dependent claims \$150/\$300						
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT—						0.00

- ☐ Verified Statement claiming small entity status is enclosed, if not filed previously.
- ☐ A check in the amount of \$_____ is enclosed.
- ☐ Charge _____ to Deposit Account No. 06-1205.
- ☒ Any prior general authorization to charge an issue fee under 37 C.F.R. 1.18 to Deposit Account No. 06-1205 is hereby revoked. The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. 1.16 and 1.17 which may be required during the entire pendency of this application, or to credit any overpayment, to Deposit Account No. 06-1205.
- ☐ A check in the amount of ____ to cover the fee for a month extension is enclosed.
- ☐ A check in the amount of \$____ to cover the Information Disclosure Statement fee is enclosed.
- ☒ Applicant's attorney may be reached in our Washington, D.C., office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address below.

Respectfully submitted,

/Daniel S. Glueck/
Attorney for Applicant
Daniel S. Glueck
Registration No. 37,838

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200
DSG/mcm